

## AMENDMENT

### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Currently amended) A gun sling comprising:

a first strap, said first strap including means to engage an upper gun swivel, means to engage a lower gun swivel, a padded portion near an upper end thereof, and a first side of an attachment means on said padded portion; and

a second strap, said second strap including means to engage an upper gun swivel, means to engage a lower gun swivel, a padded portion near an upper end thereof, and a second side of said attachment means on said padded portion positioned to selectively engage said first side of said attachment means; ~~and~~

~~means for said first and second straps to engage an upper gun swivel and a lower gun swivel,~~

wherein said first and second straps each have a length adjustment means at a lower end.

2. (Canceled)

3. (Canceled)

4. (Original) The gun sling of claim 1, wherein said attachment means is at least one means selected from the group consisting of snaps, hook-and-loop fasteners, magnetic fasteners, button-and-hole fasteners, zippers, locking plastic strips, and clasp-type fasteners.

5. (Original) The gun sling of claim 1, wherein said means to engage an upper gun swivel on each of ~~for~~ said first and second straps ~~to engage an upper gun swivel~~ is selected from the group consisting of a single clip for engaging an end portion of each of said first and second straps, ~~a single clip for engaging a single strap~~, a single triangular loop at said upper swivel and clips for engaging each of said first and second straps, and a single plate with first and second slots at said upper swivel and clips for engaging each of said first and second straps.
6. (Original) The gun sling of claim 1, wherein said means to engage a lower gun swivel on each of ~~for~~ said first and second straps ~~to engage a lower gun swivel~~ is selected from the group consisting of a single triangular loop at said lower swivel and clips for engaging an end portion of each of said first and second straps, a single plate with first and second slots at said lower swivel and clips for engaging each of said first and second straps, and a Y-strap comprised of a single clip for engaging a single strap at an end engaging said lower swivel and two straps having end clips at an end engaging each of said first and second straps.
7. (Original) The gun sling of claim 1, wherein said means to engage a lower gun swivel on each of ~~for~~ said first and second straps ~~to engage a lower gun swivel~~ includes a clip for each of said first and second straps to provide said length adjustment means.
8. (Currently amended) A dual-position gun sling, comprising:
- a first gun sling with a padded portion at an upper end;
  - a second gun sling with a padded portion at an upper end;
  - means ~~for~~ on each of said first and second gun slings to engage an upper gun swivel;

a Y-strap for said first and second gun slings to engage a lower gun swivel, said Y-strap comprising:

a first clip for engaging a ~~single~~ first strap at a first end to engage said lower gun swivel;

a second strap attached at a first end to a central portion of said first strap; and

said first and second straps having end clips at respective second ends to engage said first and second gun slings,

wherein said end clips provide a length adjustment means for said first and second gun slings, a first side of an attachment means is located on said padded portion of said first gun sling, and a second side of an attachment means is located on said padded portion of said second gun sling to selectively engage said first side of said attachment means.

9. (Canceled)

10. (Currently amended) The dual-position gun sling of claim 9 8, wherein said attachment means is at least one means selected from the group consisting of snaps, hook-and-loop fasteners, magnetic fasteners, button-and-hole fasteners, zippers, locking plastic strips, and clasp-type fasteners.

11. (Original) The dual-position gun sling of claim 8, wherein said means ~~for~~ on each of said first and second gun slings to engage an upper gun swivel is selected from the group consisting of a single clip for engaging an end portion of each of said first and second gun slings, a single triangular loop at said upper swivel and clips for engaging said first and second gun slings, and a

single plate with first and second slots at said upper swivel and clips for engaging said first and second gun slings.

12. (Currently amended) A method of using a Y-strap for to allowing the use of two gun slings on a single gun, ~~said Y-strap~~ comprising:

engaging a first clip for engaging located at a first end of a single first strap of said Y-strap to at a first end to engage a lower swivel on said gun;

wherein a second strap is attached at a first end to a central portion of said first strap so as to form said Y-strap; and

engaging end clips at respective second ends of said first and second straps having end clips at respective second ends to engage one end of said two gun slings; and

engaging a second end of said two gun slings to an upper swivel on said gun.